CONVERSATION RECORD

TIME: 1210 | DATE: 5 AUG 98

TYPE: ☐ VISIT ☐ CONFERENCE ☒ TELEPHONE ☐ INCOMING ☒ OUTGOING

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU	ORGANIZATION (Office, dept., bureau, etc.)	TELEPHONE NO:
Ron Nabors	OEPA Regulator	(419) 373 3147

ROUTING

NAME/SYMBOL	INT
Ingram	
Mullendore	
Terry	
Beyer	

SUBJECT: PBOW GW risk assessment and impact on Red Ponds & TNTB risk assessments

SUMMARY

- I asked Ron if COE could handle GW risk assessment separately (some time later) & then at that later date, combine surface Risk assess w/ GW risk assess. to complete the assessment. Told Ron that COE has no $$ for a GW assess for this year, but GW is a separate unit at this time as budgets are concerned.
- Ron spoke with Larry Saranek to come to some agreement on handling GW.
- All agree Larry, Ron & myself that a Separate GW assess. to be tied in later is fine. — O.K.
- Larry's concern: "what if parcels of land are transferred & GW is contam in that land?" — We shall deal with appropriate actions at that time, No one knows today if & when land will be transferred.

OVER →

ACTION REQUIRED: GW assess of risk, separate from soil, SW, & Sediment risk assessment

NAME OF PERSON DOCUMENTING CONVERSATION	SIGNATURE	DATE
Lannae J Long	Lannae J. Long	5 AUG 98

ACTION TAKEN

SIGNATURE	TITLE	DATE

(*) must remember to scope wells & GW sampling strategies to allow for quality of data (for each AOC with an RI) that can be use in a risk assessment at each AOC or AOC "region" as well as a facility wide assessment